ELSEVIER

Gene Structure and Expression

Vol. 1445, 1999

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

www.elsevier.com/locate/bba

Author Index

Abe, T., Gotoh, S. and Higashi, K.
Higher induction of heat shock protein 72 by heat stress in cisplatin-resistant than in cisplatin-sensitive cancer cells (1445) 123
Adamski, F.M., see Demmer, J. (1445) 65
Aguilar, M., see Osuna, D. (1445) 75
Aiso, S., see Taniguchi, K. (1445) 225
Aiso, S., see Konishi, M. (1445) 172
Arden, K.C., see Scanlan, M.J. (1445) 39
Arzumanov, A., see Mestre, B. (1445) 86
Ashcroft, N.R., see Wilson, M.A. (1445) 99
Azevedo, J.E., see Reguenga, C. (1445) 337

Barbuch, R., see Kennedy, M.A. (1445) 110
Bard, M., see Kennedy, M.A. (1445) 110
Beyer, S., Kunze, B., Silakowski, B. and Müller, R.
Metabolic diversity in myxobacteria: identification of the myxalamid and the stigmatellin biosynthetic gene cluster of *Stigmatella aurantiaca* Sg a15 and a combined polyketide-(poly)peptide gene cluster from the epothilone producing strain *Sorangium cellulosum* So ce90 (1445) 185
Böttger, M., see Haberland, A. (1445) 21
Boulmé, F., see Mestre, B. (1445) 86
Bouly, J.-P., see Lessard, P. (1445) 351
Brosché, M. and Strid, Å.
The mRNA-binding ribosomal protein S26 as a molecular marker in plants: molecular cloning, sequencing and differential gene expression during environmental stress (1445) 342
Burghes, A.H.M., see Monani, U.R. (1445) 330

Cairns, M.J., see Temple, M.D. (1445) 245
Cattori, V., Eckhardt, U. and Hagenbuch, B.
Molecular cloning and functional characterization of two alternatively spliced Ntcp isoforms from mouse liver (1445) 154
Chalkley, R., see Cissell, M.A. (1445) 299
Chapman, G.A., Kay, J. and Kille, P.
Structural and functional analysis of the rat metallothionein III genomic locus (1445) 321
Chen, Y.-T., see Scanlan, M.J. (1445) 39
Chung, J.H., see Lee, S.W. (1445) 165
Cissell, M.A. and Chalkley, R.
Characterization of a kidney-specific pattern of chromatin structure in the rat phosphoenolpyruvate carboxykinase gene (1445) 299
Cotterill, S., see Huikeshoven, H. (1445) 359
Coutelle, C., see Haberland, A. (1445) 21
Crowe, D.L., see Nguyen, D.C. (1445) 207

Demmer, J., Stasiuk, S.J., Adamski, F.M. and Grigor, M.R.
Cloning and expression of the transferrin and ferritin genes in a marsupial, the brushtail possum (*Trichosurus vulpecula*) (1445) 65
Dill, A., see Racevskis, J. (1445) 148

Eckerskorn, C., see Reguenga, C. (1445) 337
Eckhardt, U., see Cattori, V. (1445) 154

Fukuda, S., see Ohnishi, K. (1445) 196

Gait, M.J., see Mestre, B. (1445) 86
Gálvez, G., see Osuna, D. (1445) 75
Gaughan, D.J. and Whitehead, A.S.
Function and biological applications of catalytic nucleic acids (1445) 1
Giorgio, T.D., see Tseng, W.-C. (1445) 53
Golden, A., see Wilson, M.A. (1445) 99
Gonzalez, D.S., Kagawa, Y. and Moremen, K.W.
Isolation and characterization of the gene encoding the mouse broad specificity lysosomal α-mannosidase (1445) 177
Gordan, J.D., see Scanlan, M.J. (1445) 39
Gotoh, S., see Abe, T. (1445) 123
Gouveia, A.M.M., see Reguenga, C. (1445) 337
Grigor, M.R., see Demmer, J. (1445) 65
Gure, A.O., see Scanlan, M.J. (1445) 39

Haberland, A., Knaus, T., Zaitsev, S.V., Stahn, R., Mistry, A.R., Coutelle, C., Haller, H. and Böttger, M.
Calcium ions as efficient cofactor of polycation-mediated gene transfer (1445) 21
Hagenbuch, B., see Cattori, V. (1445) 154
Hahn, Y., see Lee, S.W. (1445) 165
Hahne, J.C., see Herchenröder, O. (1445) 216
Haller, H., see Haberland, A. (1445) 21
Hara, S., Kobayashi, C. and Imura, N.
Molecular cloning of cDNAs encoding hypoxia-inducible factor (HIF)-1α and -2α of bovine arterial endothelial cells (1445) 237
Haselton, F.R., see Tseng, W.-C. (1445) 53
Hattori, Y., see Ohnishi, K. (1445) 196
Haun, R.S., see Lebeda, R.A. (1445) 314
Herchenröder, O., Hahne, J.C., Meyer, W.K.-H., Thiesen, H.-J. and Schneider, J.
Repression of the human immunodeficiency virus type 1 promoter by the human KRAB domain results in inhibition of virus production (1445) 216
Higashi, K., see Abe, T. (1445) 123
Hiraoka, Y., see Taniguchi, K. (1445) 225
Hiraoka, Y., see Konishi, M. (1445) 172
Hoch, R.V., see Wilson, M.A. (1445) 99
Huang, D., Knuuti, R., Palosaari, H., Pospiech, H. and Syväoja, J.E.
cDNA and structural organization of the gene *Pole1* for the mouse DNA polymerase ε catalytic subunit (1445) 363
Huikeshoven, H. and Cotterill, S.
Cloning and characterisation of the gene for the large subunit of the DNA primase from *Drosophila melanogaster* (1445) 359

Ibuki, Y., see Kameda, T. (1445) 31
Imura, N., see Hara, S. (1445) 237
Inal, J.M.
Schistosoma TOR (trispanning orphan receptor), a novel, antigenic surface receptor of the blood-dwelling, *Schistosoma* parasite (1445) 283

Ishii, H., see Konishi, M. (1445) 172

Johnson, S.K., see Lebeda, R.A. (1445) 314
Jouannic, S., see Lessard, P. (1445) 351
Jungbluth, A., see Scanlan, M.J. (1445) 39

Kagawa, Y., see Gonzalez, D.S. (1445) 177
Kameda, T., Mizutani, T., Minegishi, T., Ibuki, Y. and Miyamoto, K.
Regulation of cAMP responsive element binding modulator isoforms in cultured rat ovarian granulosa cells (1445) 31
Kawakami, H., see Kitamura, T. (1445) 142
Kay, J., see Chapman, G.A. (1445) 321
Kennedy, M.A., Barbuch, R. and Bard, M.
Transcriptional regulation of the squalene synthase gene (*ERG9*) in the yeast *Saccharomyces cerevisiae* (1445) 110
Kido, S., see Taniguchi, K. (1445) 225
Kille, P., see Chapman, G.A. (1445) 321
Kim, A., see Temple, M.D. (1445) 245
King, K.W., Sheppard, F.C., Westwater, C., Stern, P.L. and Myers, K.A.
Organisation of the mouse and human 5T4 oncofoetal leucine-rich glycoprotein genes and expression in foetal and adult murine tissues (1445) 257
Kitamura, T., Miyachi, T., Nakamura, S. and Kawakami, H.
Identification and analysis of the promoter region of the human NeuroD-related factor (NDRF) (1445) 142
Kitazawa, R., Kitazawa, S. and Maeda, S.
Promoter structure of mouse RANKL/TRANCE/OPGL/ODF gene (1445) 134
Kitazawa, S., see Kitazawa, R. (1445) 134
Knaus, T., see Haberland, A. (1445) 21
Knuuti, R., see Huang, D. (1445) 363
Kobayashi, C., see Hara, S. (1445) 237
Konishi, M., Hiraoka, Y., Ogawa, M., Sakai, Y., Ishii, H. and Aiso, S.
Molecular cloning and expression of *Xenopus laevis Requiem* cDNA (1445) 172
Kosinski, M.E., see Wilson, M.A. (1445) 99
Kreis, M., see Lessard, P. (1445) 351
Kunze, B., see Beyer, S. (1445) 185

Lebeda, R.A., Johnson, S.K. and Haun, R.S.
Transcriptional regulation of the human ADP-ribosylation factor 5 (ARF5) gene (1445) 314
Lee, J.E., see Lee, S.W. (1445) 165
Lee, S.W., Park, I.Y., Hahn, Y., Lee, J.E., Seong, C.S., Chung, J.H. and Park, Y.S.
Cloning of mouse sepiapterin reductase gene and characterization of its promoter region (1445) 165
Lessard, P., Bouly, J.-P., Jouannic, S., Kreis, M. and Thomas, M.
Identification of cdc2cAt: a new cyclin-dependent kinase expressed in *Arabidopsis thaliana* flowers (1445) 351
Litvak, S., see Mestre, B. (1445) 86

Maeda, S., see Kitazawa, R. (1445) 134
Masuho, Y., see Ueki, N. (1445) 232
Matsubara, K., see Ohnishi, K. (1445) 196
McPherson, J.D., see Monani, U.R. (1445) 330
Meixner, A., Wiche, G. and Propst, F.
Analysis of the mouse MAP1B gene identifies a highly conserved 4.3 kb 3′ untranslated region and provides evidence against the proposed structure of DBI-1 cDNA (1445) 345
Mestre, B., Arzumanov, A., Singh, M., Boulmé, F., Litvak, S. and Gait, M.J.
Oligonucleotide inhibition of the interaction of HIV-1 Tat protein with the *trans*-activation responsive region (TAR) of HIV RNA (1445) 86
Meyer, W.K.-H., see Herchenröder, O. (1445) 216
Minegishi, T., see Kameda, T. (1445) 31
Mistry, A.R., see Haberland, A. (1445) 21
Miyachi, T., see Kitamura, T. (1445) 142
Miyamoto, K., see Kameda, T. (1445) 31
Mizutani, T., see Kameda, T. (1445) 31
Monani, U.R., McPherson, J.D. and Burghes, A.H.M.
Promoter analysis of the human centromeric and telomeric survival motor neuron genes (SMN^C and SMN^T) (1445) 330
Moremen, K.W., see Gonzalez, D.S. (1445) 177
Müller, R., see Beyer, S. (1445) 185
Muramatsu, M.-a., see Ueki, N. (1445) 232
Murray, V., see Temple, M.D. (1445) 245
Myers, K.A., see King, K.W. (1445) 257

Nakamura, S., see Kitamura, T. (1445) 142
Nguyen, D.C. and Crowe, D.L.
Intact functional domains of the retinoblastoma gene product (pRb) are required for downregulation of telomerase activity (1445) 207

Ogawa, M., see Taniguchi, K. (1445) 225
Ogawa, M., see Konishi, M. (1445) 172
Ohnishi, K., Matsubara, K., Hattori, Y., Sadanari, H., Yamada, R. and Fukuda, S.
Identification of a *cis*-acting regulatory sequence responsible for the repression of *brnQ* in *Salmonella typhimurium* (1445) 196
Old, L.J., see Scanlan, M.J. (1445) 39
Oliveira, M.E.M., see Reguenga, C. (1445) 337
Osuna, D., Gálvez, G., Pineda, M. and Aguilar, M.
RT-PCR cloning, characterization and mRNA expression analysis of a cDNA encoding a type II asparagine synthetase in common bean (1445) 75

Palosaari, H., see Huang, D. (1445) 363
Park, I.Y., see Lee, S.W. (1445) 165
Park, Y.S., see Lee, S.W. (1445) 165
Pineda, M., see Osuna, D. (1445) 75
Pospiech, H., see Huang, D. (1445) 363
Propst, F., see Meixner, A. (1445) 345

Racevskis, J., Dill, A., Sparano, J.A. and Ruan, H.
Molecular cloning of *LMO4*[1], a new human LIM domain gene (1445) 148
Reguenga, C., Oliveira, M.E.M., Gouveia, A.M.M., Eckerskorn, C., Sá-Miranda, C. and Azevedo, J.E.
Identification of a 24 kDa intrinsic membrane protein from mammalian peroxisomes (1445) 337
Ruan, H., see Racevskis, J. (1445) 148

Sadanari, H., see Ohnishi, K. (1445) 196
Saito, T., see Ueki, N. (1445) 232
Sakai, Y., see Taniguchi, K. (1445) 225
Sakai, Y., see Konishi, M. (1445) 172
Sá-Miranda, C., see Reguenga, C. (1445) 337
Sastre, L.
Isolation and characterization of the gene coding for *Artemia francis-*

cana TATA-binding protein: expression in cryptobiotic and developing embryos (1445) 271
Scanlan, M.J., Williamson, B., Jungbluth, A., Stockert, E., Arden, K.C., Viars, C.S., Gure, A.O., Gordan, J.D., Chen, Y.-T. and Old, L.J.
Isoforms of the human PDZ-73 protein exhibit differential tissue expression (1445) 39
Schneider, J., see Herchenröder, O. (1445) 216
Seki, N., see Ueki, N. (1445) 232
Seong, C.S., see Lee, S.W. (1445) 165
Sheppard, F.C., see King, K.W. (1445) 257
Silakowski, B., see Beyer, S. (1445) 185
Singh, M., see Mestre, B. (1445) 86
Sparano, J.A., see Racevskis, J. (1445) 148
Stahn, R., see Haberland, A. (1445) 21
Stasiuk, S.J., see Demmer, J. (1445) 65
Stern, P.L., see King, K.W. (1445) 257
Stockert, E., see Scanlan, M.J. (1445) 39
Strid, Å., see Brosché, M. (1445) 342
Sumi, K., see Yagura, T. (1445) 160
Syväoja, J.E., see Huang, D. (1445) 363

Taniguchi, K., Hiraoka, Y., Ogawa, M., Sakai, Y., Kido, S. and Aiso, S.
Isolation and characterization of a mouse *SRY*-related cDNA, *mSox7* (1445) 225
Temple, M.D., Cairns, M.J., Kim, A. and Murray, V.
Protein–DNA footprinting of the human ε-globin promoter in human intact cells using nitrogen mustard analogues and other DNA-damaging agents (1445) 245
Thiesen, H.-J., see Herchenröder, O. (1445) 216
Thomas, M., see Lessard, P. (1445) 351

Tseng, W.-C., Haselton, F.R. and Giorgio, T.D.
Mitosis enhances transgene expression of plasmid delivered by cationic liposomes (1445) 53

Ueki, N., Seki, N., Yano, K., Masuho, Y., Saito, T. and Muramatsu, M.-a.
Isolation and characterization of a novel human gene (HFB30) which encodes a protein with a RING finger motif (1445) 232

Viars, C.S., see Scanlan, M.J. (1445) 39

Westwater, C., see King, K.W. (1445) 257
Whitehead, A.S., see Gaughan, D.J. (1445) 1
Wiche, G., see Meixner, A. (1445) 345
Williamson, B., see Scanlan, M.J. (1445) 39
Wilson, M.A., Hoch, R.V., Ashcroft, N.R., Kosinski, M.E. and Golden, A.
A *Caenorhabditis elegans wee1* homolog is expressed in a temporally and spatially restricted pattern during embryonic development (1445) 99

Yagura, T. and Sumi, K.
Molecular cloning and sequencing of cDNAs encoding homologues of human Ku70 and Ku80 autoantigen from *Xenopus* and their expression in various *Xenopus* tissues (1445) 160
Yamada, R., see Ohnishi, K. (1445) 196
Yano, K., see Ueki, N. (1445) 232

Zaitsev, S.V., see Haberland, A. (1445) 21